

INDEX MAPS.

T. 7N R. 10W 2<sup>nd</sup> Mer.

	77	77	77	77	78	78						
81	6	100	5	95	4	91	3	88	2	85	1	77
	100		99		94		91		88		84	
81	7	99	8	94	9	91	10	88	11	84	12	76
	99		98		94		90		87		84	
81	18	98	17	94	16	90	15	87	14	83	13	76
	98		97		93		90		87		83	
80	19	97	20	93	21	90	22	86	23	83	24	76
	97		96		93		89		86		82	
80	30	96	29	92	28	87	27	86	26	82	25	76
	96		95		92		89		85		82	
80	31	95	32	92	33	87	34	85	35	82	36	75
	75		73		73		73		73		73	
	75		75		74		74		74		74	

T. 8N R. 10W 2<sup>nd</sup> Mer.

	107	107	108	108	108	108						
	110	116	109	109	109	109						
112	6	130	5	125	4	122	3	119	2	115	1	107
	130	130	125	122	118	115						
111	7	129	8	125	9	121	10	118	11	114	12	107
	129	129	124	121	118	114						
111	18	128	17	124	16	121	15	117	14	114	13	106
	128	128	124	120	117	114						
111	19	128	20	124	21	120	22	117	23	113	24	106
	127	127	123	120	116	113						
111	30	127	28	123	28	119	27	116	26	113	25	106
	126	126	123	119	116	112						
110	31	126	32	122	33	119	34	116	35	112	36	105
	103	103	103	103	103	103	104					
	105	105	105	105	104	104						

The figures on the lines refer to the page.

Township No 7 North of Range No 10 West of the 2nd Mer. Sec. 73

South Boundary

East On a Random line On the South Boundary of Sec. 31.  
T 7 N R. 10 W.

4000 Set a temporary 1/4 sec post

8000 " " " post for the cor of sec. 31 & 32.

East On a Random line On the South Boundary of Sec. 32  
T 7 N R. 10 W

4000 Set a temporary 1/4 sec post

8000 " " " post for the cor of sec. 32 & 33.

Land 2nd rate dry sand & prairie. Laid them.

East On a Random line On the South Boundary of Sec. 33.  
T 7 N R. 10 W

4000 Set a temporary 1/4 sec post

8000 " " " post for the cor of sec. 33 & 34.

Land 1st 1/2 mile prairie & more: The last dry land of  
2nd rate;

East On a Random line On the South Boundary of Sec. 34.  
T 7 N R. 10 W.

4000 Set a temporary 1/4 sec post

8000 Set a temporary post for the cor of sec. 34 & 35.

Land 2nd rate dry & sand & prairie

East On a Random line On the South Boundary of Sec. 35.  
T 6 N R. 9 W

1800 Crossed the prairie.

4000 Set a temporary 1/4 sec post.

5200 Entered a prairie

8000 Crossed the prairie & set a post for the cor of sec. 35 & 36.

East On a Random line On the South Boundary of Sec. 36.  
T 7 N R. 10 W.

4000 Set a temporary 1/4 sec post

5000 Entered a prairie.

No 1. Camp

75.00	Crossed it.
85.24	Intersect the Range line 1103 miles South of the temple Post on off T. 687 N. R. N.° 9 & 10 W. & set a temple at the intersection Found limb Limbo Oak, & Hickory
West	On the true line between Sec. 1 & 36 & on the South Boundary of Sec. 36. T. 7 N. R. 9 W.
40.00	Set the temple for support at the arched on the true line from which Oak, 7 in diam. trees. N 76 E. 29 the arch under an Elm. 13 " " N 55 W 67 " "
80.00	Set a post temple for the cor of sec. 35 & 36 from which W Oak. 16 in diam. trees. N 14 E. 200 links each; &, Q. 20 " " " S 29 E. 238 " "
West	On the true line On the South Boundary of sec 35. T. 7 N. R. N.° 10 W
40.00	Set a post temple for support at the arched on the true line from which — 9 in diam. trees. N 88 W. 35 8 the arch under a Y. Oak. 27 " " " N 36 W. 546 " "
80.00	Set the temple for support on the true line for the cor of sec. 34 & 35 in prairie No bearing trees.
West	On the true line On the South Boundary of sec 34. T. 7 N. R. 10 W
40.00	Set the temple for support at the arched on the true line in prairie; No bearing trees.
80.00	Set the temple for support on the true line for the cor. of sec. 33 & 34 in prairie (No bearing trees).
West	On the true line On the South W. of sec. 33. T. 7 N. R. 10 W.
40.00	Set the temple for support at the arched on the true line from which (in the prairie. No bearing trees)
80.00	Set the temple for support at the true line for the cor of Sec. 32 & 33 from which

J. N. 7 N. R. N. 10 W 2<sup>nd</sup> Mer. Ind. 75

N Oak 30 in dist. from S 46 $\frac{1}{2}$  E. 689 the dist;  
This post stands in a prairie.

West On the line from On the South Boundary of sec. 32  
J. N. 7 N. R. 10 W

40,00 Set the temp. post at the arch with the line  
aprairie. No bearing trees.

80,00 Set the temp. post with the line from the cor. of sec 31  
from which,

Heck 10 in dist. from S 81 E. 9 links dist; to  
Mulberry 8 " " " S 12 W. 11 "

West On the line from On the South R. of sec 31.  
J. N. 7 N. R. 10 W.

40,00 Set the temp. post at the arch with the line  
from which, Sycamore 27 in dist. from S 16 $\frac{1}{2}$  W. 120 the dist.

84,12 Intersct the Range line 609 the South of the temp  
Iron cor. and set a post at the intersection for the  
cor. of Sec 6 & 7 N. R. 10 & 11. W from which a  
Maple 12 in dist. from N 17 W. 14 the dist; to  
Do. 8 " " " East 39 " "  
This post stands on the River Bank.

North On the East Boundary of sec. 36. J. N. 7 N. R. 10 W

40,00 Set a post from which,  
N Oak 11 in dist. from N 46 E. 92 the dist; to  
Heck 12 " " " S 35 $\frac{1}{2}$  W. 98 " "

80,00 Set a post for the cor of sec 25 & 36. from which,  
N Oak 15 in dist. from N 13 W. 44 the dist; to  
Do. 24 " " " N 33 E. 116 " "

Land here and mostly prairie interspersed with  
small groves of Oak & Hickory; Soil sandy & not  
very good for farming.

C. 27



North On the East Boundary of sec. 25 T. 7 N. R. 10 W.  
 40.00 Set a p. support from which,  
 Hick 10 in diam. beam. S 29 E. 98 the dist. 13  
 W Oak 14 " " " N 65 W. 190 " "  
 58.00 To a Brook 6 mile wide, corner S.E.  
 67.26 " " W Oak 14 in diam. in the line.  
 80.00 Set a post for the cor. of sec. 24 T. 2 S. from which,  
 W Oak. 10 in diam. beam. N 27 E. 61 the dist. 10  
 Land 12 1/2 mile prairie. last 1/2 heavily timbered  
 with Oak & Hick. Land 2<sup>nd</sup> rate for farming

North On the East Boundary of sec. 24 T. 7 N. R. 10 W.  
 40.00 To a Brook 10 the wide, corner S.E.  
 40.00 Set a p. support from which,  
 Sugar 24 in diam. beam. S 34 W. 57 the dist. 10  
 Elm. 17 " " " N 74 E. 24 " "  
 59.60 To a Sugar 8 in diam. in the line.  
 80.00 Set a post for the cor. of sec. 13 T. 24 from which,  
 Mulberry 9 in diam. beam. S 56 E. 20 the dist. 13  
 Sugar 10 " " " N 72 W. 30 " "  
 Land pastured and part a little rolling: first rate  
 for farming; Timber Oak, Ash, Sugar, & Elm & Walnut.

North On the East Boundary of sec. 13 T. 7 N. R. 10 W.  
 40.00 Set a p. support from which,  
 Sugar 9 in diam. beam. N 76 W. 20 the dist. 10  
 Beech 8 " " " S 12 E. 31 " "  
 80.00 Set a post for the cor. of sec. 12 T. 13 from which,  
 B Walnut 12 in diam. beam. S 43 E. 9 the dist. 13  
 Elm. 15 " " " N 52 W. 37 " "  
 Land & timber same.

North On the East Boundary of sec. 12 T. 7 N. R. 10 W.  
 40.00 Set a p. support from which,  
 Beech 12 in diam. beam. N 65 W. 23 the dist. 13  
 Do. 9 " " " N 48 E. 29 " "

S. No 7 N. R. No 10 W 2<sup>nd</sup> Mer. Ind. 77

80.00 Set apart for the cor. of sec 1 & 12 from which  
 Bk 10 is dist. from S 78 E 23 the dist. to  
 S 78 E 23 " " S 57 N 28 " "  
 Land here Timber Buck, Sugar, Oak &c. good  
 land for farming.

North  
 40.00 On the East Boundary of sec 1. T. 7 N. R. 10 W  
 Set a 1/4 section post from which  
 N 70 E 14 in dist. from S 50 N 12 the east; &c  
 No. 9 " " " " N 70 E 20 " "  
 80.00 Set a temp<sup>y</sup> post for the cor. of T. 7. N. & 8. R. 9 & 10  
 W Land here & rather wet & good for grass; Timber  
 Oak, Buck, Hickory & Elm. Maple

North Boundary March 17 1811 C. 47

East On a Random line On the South Boundary of sec. 31.  
 T. 8 N. R. 10 W.  
 40.00 Set a temp<sup>y</sup> 1/4 sec. post.  
 80.00 " " " post for the cor. of sec. 31 & 32  
 Land a little rolling and 2<sup>nd</sup> rate; Good for wheat  
 Timber Oak & Hickory.

East On a Random line On the South Boundary of sec. 32  
 T. 8. N. R. 10 W.  
 40.00 Set a temp<sup>y</sup> 1/4 sec post.  
 45.50 Top Small Brook. Sec. S. E.  
 80.00 Set a temp<sup>y</sup> post for the cor. of sec. 32 & 33.  
 Land bet<sup>h</sup> 1/2 mile same; each 1/2 acre & good for farm-  
 ing Timber Oak, Buck, Sugar, Elm, Hickory

East On a Random line On the South Boundary of sec. 33.  
 T. 8 N. R. 10 W.  
 29.00 Top Brook 8 mts. wide, lower S. E.  
 40.00 Set a temp<sup>y</sup> 1/4 sec post  
 44.00 Top Brook 14 mts. wide, lower S. E.  
 80.00 Set a temp<sup>y</sup> post cor. of sec. 33 & 34.

Land same: Good for farming:

East	Qua Raudum line On the South Boundary of sec. 34 T. 8. N. R. 10 W.
4.00	Set a trap for 14 miles wide. Home S. W.
40.00	Set a trap for 1/4 sec. post.
80.00	Set a trap for post for the cor. of sec. 34 & 35. Laid out 1/2 mile same last 1/2 mile back and into into same
East	Qua Raudum line On the South Boundary of sec. 35. T. 8. N. R. 10 W.
40.00	Set a trap for 1/4 sec. post.
80.00	" " " post for the cor. of sec. 35 & 36. Land here, principal timber Beech, Spruce, Hickory Elm, Ash, Sugar etc. Rather too wet to plough
East	Qua Raudum line On the South Boundary of sec. 36. T. 8. N. R. 10 W.
40.00	Set a trap for 1/4 sec. post.
80.77	Set out the Range line 48 W. North of the post of the trap for post cor. of sec. 1. 6. 31 & 36. T. 7 & 8 N. R. 8 & 9 W. Land here and rather too wet to plough Timber Beech, Elm, Hickory, & Oak,
West	On the line On the South Boundary of sec. 36. T. 8. N. R. 10 W.
40.00	Set the trap for sec. post on the line from which B. Oak 12 in diam. bears. N 36 E. 5 W. Oak; to Hickory, 9 " " " S 22 1/2 W. B. "
80.00	Set the trap for post on the line for the cor. of sec. 35 & 36. from which B. Oak 12 in diam. bears. N 76 E. 16 W. Oak under Beech 9 " " " S 44 E. 22 " "
West	On the line On the South Boundary of sec. 35 T. 8. N. R. 10 W.

T. N. 7 N R. N. 10 W. 2<sup>nd</sup> Mer. Sud. 79

40,00	Set the temp't post on the true line from which Beck 12 in dia: beam. N 53 E. 27 into mesh; 73 Heater 10 " " " S 26 E. 40 " "
80,00	Set the temp't post on the true line for the ca of ew. 34 B 35 from which Beck 8 in dia: beam. S 44 W. 11 lbs mesh; 73 Heater 9 " " " N 87 W. 21 " "
West	On the true line On the South Bound of ew. 34. T 8 N R. 10 W.
40,00	Set the temp't post on the true line from which Beck. — in dia: beam. S 59 W. 21 lbs mesh; 73 Lo. 9 " " " N 45 E. 16 " "
80,00	Set post for the ca of ew. 33 B 34 on the true line from which Beck 16 in dia: beam. S 10 E. 23 lbs mesh; 73 Engon. 9 " " " N 27 W. 50 " "
West	On the true line On the South Bound of ew. 33. T 8 N R. 10 W.
40,00	Set a 7 <sup>th</sup> post on the true line from which Beck 11 in dia: beam. N 57 W. 17 into mesh; 73 Lo. 10 " " " S 21 W. 27 " "
80,00	Set the temp't post on the true line for the ca of ew. 32 B 33 from which Beck. 11 in dia: beam. N 77 W. 24 lbs mesh and a Wash. 11 " " " N 60 E. 22 " "
West	On the true line On the South Bound of ew. 33. T 8 N R. 10 W.
40,00	Set the temp't post on the true line from which Beck 9 in dia: beam. S 33 W. 13 into mesh; 73 Engon. 8 " " " N 10 E. 23 " "
80,00	Set the temp't post on the true line for the ca of ew. 31 B 32 from which Wash. 14 in dia: beam. N 11 E. 55 lbs mesh; and a Lo. 14 " " " S 81 E. 40 " "
West	On the true line On the South Bound of ew. 31. T 8 N R. 10 W.



40.00	Set the trap in east on the line from which Oak 8 in dist. from. N 32 E. 35 the dist; 73 Do. 36, " " S 57 N. 12, "
50.77	Intersect the Range line and set apart at the inter- section for the con. of ev. 1.6. 3136. T 708 N. 1077 197 from which Hickory 8 in dist. from. N 35 E. 12 the dist and do a Buck 8, " " S 2 E. 28, "
West Boundary v. 6751 N. N. 0.33	
North 39.00.	On the East Boundary of ev. 36. T 7 N. 1177 Set apart on the Left Bk of the Natash River for the con. of Grad. Lu. 36. from which Black 13 in dist. from. N 50 E. 11 the dist; 73 Oak 11, " " S 87 N. 25, "
56.36.	Set apart on the Right Bk of the Natash River for the con. of Grad. Lu. 36. from which Elm. 16 in dist. from. S 42 E. 3 the dist; 73 Do. 9, " " N 77 N. 20, "
80.00	Set apart for the con. of ev. 25 & 36. from which Hickory 16 in dist. from. N 68 E. 25 the dist; 73 Do. 4, " " S 53 N. 11, " Sound 1 <sup>st</sup> rate bottom which some times overflows. Timber Walnut Hickory, Elm, Oak &c.
North 40.00	On the East Boundary of ev. 25 T 7 N. 1077 Set a 1/2 apart from which Maple 20 in dist. from South 32 the dist; 73 Do. 24, " " N 67 N. 24, "
80.00	Set apart for the con. of ev. 24 & 25 from which Mulberry 4 in dist. from. S 35 E. 5 the dist; 73 Li. 8, " " N 77 N. 19, " Sound timber some. Some thick Spruce & Poplar, etc.
North 3.50	On the East Boundary of ev. 24. T 7 N. 1077 Set Red Bud on the Right Bank of the Natash for the con. of Grad. Lu. 24

T. N. 7 N R. N. 10 W 2nd Mer. Ind: 81

40.00	Set a 1/2 sup post from which Elev. 8 in dist. from. S 87 W 5 the dist; 23 W. 30 " " " N 26 E 29 " " The above named post stands on the Left Bk of the Wataash Riv.
80.00	Set a post for the cor. of sec. 13 & 24 from which N. 24 in dist. from. N 83 E. 30 the dist; 23 Sec. 30 " " " N 67 W 38 " " Lands were rough some times
North 23.59	On the East Boundary of sec. 13. T. 7 N R. 11 W. Set a post on the Left Bk of the Wataash Riv for the cor. of frac. E. 13. from which 27 in dist. from. S 41 E. 3 the dist; 23 Bottom land 10 " " " N 1 E 49 " " The line crosses the Riv and runs down the Bk, that did not cross but made an offset; therefore the mile & half mile post is not set;
North 29.57	On the East Boundary of sec. 12. T. 7 N R. 11 W. Set a post on the Left Bk of the Wataash Riv for the cor. of frac. E. 12. N. 12 from which N. 12 in dist. from. S 62 E. 14 the dist; 23 the cor. of E. 12.
40.00	Set a 1/2 sup post from which Elev. 9 in dist. from. S 62 E. 14 the dist; 23 W. 10 " " " N 38 W 17 " "
80.00	Set a post for the cor. of sec. 13 & 24 from which N. 8 in dist. from. S 40 E. 13 the dist; 23 E. 15 " " " N 29 W 4 " " Land 2nd rate low bottom which overflows
North 37.01 40.00	On the East Bk of sec. 1. T. 7 N R. 11 W. To small Brook. from N. Set a 1/2 sup post from which W. 7 in dist. from. N 30 W. 27 the dist; 23 W. 8 " " " S 68 E 46 " "

72.50	Set a trap for the fur of T. 708. NR 1071177 Surged by William Harris Esq.
North	Subdivisions Return Sec 35 T36. T. 7. NR. 1077
40.00	Set a 1/2 cup post from which Logwood 10 in diam. term. 9567733 the oak, 20, N Oak 12 " " " " 872 E. 14, "
80.00	Set a post for the cor. of sec. 25, 26, 35 T36. from which, N Oak 12 in diam. term. 870 E. - the oak, 20, 93 Oak - " " " " 88177 - " " Land had made thence timbered with Oak & Hickory
East	On a line between Sec. 25 T36. T. 7. NR. 1077
40.00	Set a 1/2 cup post (trap)
79.85	Intersect the East Boundary 10 links South of the post cor. of sec. 25 T36. Land the same
West	On the line between Sec. 25 T36. T. 7. NR. 1077
39.92 1/2	Set the trap 1/2 cup post at the arched on the line from which, 93 Oak 30 in diam. term. 88977.68 the oak; under N Oak. 20 " " " " 884 E. 98 " "
79.85	At the post cor. of sec. 25, 26, 35 T36.
North	Return Sec 25 T26. T. 7. NR. 0077
20.00	To a Prairie.
40.00	Set a 1/2 cup post in prairie from which, N Oak - term. 8177350 the oak;
44.00	To timbered land;
76.00	" Prairie.
80.00	Set a post for the cor. of sec. 23, 24, 25 T26. from which in the prairie. Land the same.
East	On a line between Sec 24 T25 T. 7. NR. 1077

T. N. of N. R. N. 1877 Quad (Mn. Ind. 83)

20.00	To timbered land
40.00	Set a trap for a squirrel.
79.87	Intersect the East 13.7 at the first cr. of sec. 24 & 25. Same the same.
West	On the line between Sec. 24 & 25 of T. 17 N. 18 W.
39.93 1/2	Set the trap for a squirrel at the arched on the line from which, N. Oak. 18 in dist. from N. 30 E. 14. the creek; by N. 12 W. 12 a 2 " N. 36 W. 28 " ,
79.87	To the first cr. of sec. 23, 24, 25 & 26.
North	Return Sec. 23 & 24 T. 17 N. 18 W.
10.00	To a timbered land.
22.00	" a wet prairie, four ch. mds.
40.00	Set a trap for a squirrel from which, N. Oak. 20 in dist. from N. 11 W. 32 the creek; by N. 12 W. 6 a 2 " N. 82 E. 39 " ,
80.00	Set a post for the cr. of sec. 13, 14, 23 & 24 from which Oak. 15 in dist. from N. 8 W. 34 the creek; by N. Oak. 20 a 2 " N. 7 E. 24 " , Same the same.
East	On a line between Sec. 13 & 24 T. 17 N. 18 W.
40.00	Set a trap for a squirrel.
79.68	Intersect the East 13.7 68 the South of the first cr. of Sec. 13 & 24 Same rich and hard Timber Oak, Hickory, & Poplar, Ash &c.
West	On the line between Sec. 13 & 24 T. 17 N. 18 W.
39.84	Set the trap for a squirrel at the arched on the line from which, Sugar. 12 in dist. from N. 30 W. 34 the creek;
79.68	To the first cr. of sec. 13, 14, 23 & 24
North	Return Sec. 13 & 24 T. 17 N. 18 W.
40.00	Set a trap for a squirrel from which,



J. N. 7 N R. N. 15 W 2<sup>nd</sup> Mer. Ind.

75.00	Beck 18 in dist. time. N 61 E 43 the north; 03
80.00	North 12 " " " N 17 E 37 " "
	Try Brook. 8 links wide, former S. W.
	Set a post for the cor of ew 11. 12. 13 & 14 from which
	Engon 12 in dist. time. S 8 E 38 the north; 03
	Beck 18 " " " North 26 " "
	Same the same
East	Open Remains line between Sec 12 & 13 J. 7 N R. 15 W
40.00	Set a temp. post for ew post.
79.44	Intersect the East Boundary by the end of the post cor. of ew. 12 & 13.
	Same the same.
West	On the true line between Sec 12 & 13. J. 7 N R. 15 W
39.72	Set the temp. post at the corner in the true line from which
	Beck 18 in dist. time. N 44 W. 15 the north; 03
	Do. 12 " " " S 16 W 30 " "
79.44	Set the post cor of ew. 11. 12. 13 & 14
North	Between Sec 11 & 12 J. 7 N R. 15 W.
20.00	Try Brook. 12 links wide, former S. W.
40.00	Set a post for the cor of ew. 11 & 12 from which
	Beck 20 in dist. time. S 64 W. 11 the north; 03
	Do. 18 " " " N 10 W. 47 " "
80.00	Set a post for the cor. of ew. 1. 2. 11 & 12 from which
	Engon 10 in dist. time. N 82 W 38 the north; 03
	Do. 10 " " " S 15 E. 28 " "
	Same the same.
East	Open Remains line between Sec 1 & 2 J. 7 N R. 15 W
40.00	Set a temp. post for ew post
79.16	Intersect the East Boundary at the post cor of ew. 1 & 2
	Same the same.
West	On the true line between Sec 1 & 2 J. 7 N R. 15 W

T. N. 7 N. R. N. 10 W. Q. 1 M. Ind. 85

39.58 Set the timber in support at the on dish in the line  
from which Sugar 12 in dia. term. \$86 E. 25 the dish  
under Do. 8 " " " \$8377.29  
79.16 Set the post on of ew. 1, 2, 11, 12.

North Return Sur 121 7 N. R. 10 W  
40.00 Set a 7/4 support from which  
Sugar 12 in dia. term. \$3077.10 the dish; on  
Do. 4 " " " \$1177.9  
80.08 Enter cut the N. B. 34 the East of the post on of ew. 35 36.  
T. 8 N. R. 10 W and set a post for the on of ew. 1 12 from  
which, Buck 8 in dia. term. \$33 E. 7 the dish; on  
Do. 15 " " " \$7177.20  
Land of timber same.

North Return Sur 34 35. T. 7 N. R. 10 W  
31.00 To timbered land;  
40.00 Set a 7/4 support from which  
Oak 18 in dia. term. \$177.29 the dish; on  
Do. 30 " " " \$7977.64  
46.00 To a Road.  
63.00 " " Prairie.  
73.50 Some timber  
80.00 Set a post for the on. of ew. 26, 27, 34 35.  
Land wood Rich & thin timber with Oak,

East Oak Road line between Sur. 26 35. T. 7 N. R. 10 W  
39.00 To timbered land;  
40.00 Set a timber in ew post  
80.00 Enter cut the N. B. line at the post on of Sur. 25, 26, 35 36.  
Land same.

West Oak Road line between Sur. 26 35. T. 7 N. R. 10 W  
40.00 Set the timber in support at the on dish in the line  
from which, Oak 3 in dia. term. \$40 E. 5 the dish  
under Oak 18 " " " \$8677.47

80.00	To the post on of Dec 26, 27. 34 & 35.
North	Return Dec 26 & 27. T. 7 N. R. 1077
40.00	Set a 1/4 section in prairie. No bearing trees.
56.50	To timbered land.
80.00	Set apart for the co of sec. 22, 23, 26 & 27 from which W Oak 9 in diam. term. S 37 W. 23 1/2 mi. to Black 15 " " " S 73 W. 25 " " Land the same.
East	On a common line between Dec 23 & 26. T. 7 N. R. 1077
8.00	To a Brook. 10 1/2 mi. from N.W.
14.00	To a Prairie.
32.00	To timbered land.
40.00	Set a temp. 1/4 section
80.35	Intersect. the N 03 line 19 1/2 mi. South of the post on of Dec. 23, 24, 25 & 26. Land the same.
West	On the same line between Dec 23 & 26 T. 7 N. R. 1077
40.17 1/2	Set the temp. 1/4 section at the arch with the line from which W Oak 10 in diam. term. N 20 E. 33 1/2 mi. and a Do 7 " " " S 79 E. 10 1/2 " "
80.35	To the post on of sec. 22, 23, 26 & 27.
North	Return Dec 22 & 23. T. 7 N. R. 1077
11.00	To a Brook. 10 1/2 mi. from N.W.
37.00	" " Dec. 15 " " " S.W.
39.00	" " same. 15 " " " S.E.
40.00	Set a 1/4 section from which Millbury 18 in diam. term. S 39 E. 5 1/2 mi. to Elm. 15 " " " N 46 W. 23 " "
60.00	Trapping license S.E.
80.00	Set apart for the co of sec. 14, 15, 22 & 23 from which Engon. 10 in diam. term. S 56 W. 26 1/2 mi. to

T. N. 7 N R. N. 10 W 2nd Mer. 1873

Beck 15 in dist. from N 57 W. 10 the met;  
Land here and soil rich; Timber Beck, Sugar, &  
Poplar.

East On a Remains line between Sec. 14 & 23. T. 7 N R. 10 W.  
17.00 To a Brook. 12 the mid, corner S.  
34.50 " " 12 " " " " N. W.  
40.00 Set a trap for a fox post.  
81.23 Enter cut the N 13 line at the post on of sec. 13, 14, 23 & 24  
Land the same.

West On the line between Sec. 14 & 23. T. 7 N R. 10 W.  
40.11 1/2 Set the trap for a fox post at the ar ditch on the line  
from which, Sugar 18 in dist. from. S 89 E. 40 the met;  
and a Walnut 5 " " " S 55 E. 46 " "  
80.23 To the post on. of sec. 14, 15, 22 & 23.

North Between Sec. 14 & 15. T. 7 N R. 10 W.  
14.00 To a Brook. 10 the mid, corner S. E.  
40.00 Set a trap for a fox post from which,  
Beck 12 in dist. from. S 31 W. 13 the met; Sugar  
E 3 " " " S 35 E. 13 " "  
80.00 Set a post for the cor of sec. 11, 12, 14 & 15 from which,  
Sugar 10 in dist. from. S 29 W. 16 the met; the  
W. 8 " " " N 31 W. 7 " "  
Land the same.

East On a Remains line between Sec. 11 & 14. T. 7 N R. 10 W.  
40.00 Set a trap for a fox post  
71.00 To a Brook. 12 the mid, corner S. W.  
79.95 Enter cut the N 13 line 30 miles South of the post on of  
Sec. 11, 12, 13 & 14  
Land the same.

West On the line between Sec. 11 & 14. T. 7 N R. 10 W.  
~~39.75~~ 39.75 Set the trap for a fox post at the ar ditch on the line from





I. No 7 N R No 10 W 2<sup>nd</sup> Mer. Ind. 189

North	Return Dec 33 & 34 I. 7 N R 10 W.
40.00	Set a 1/4 sec post in a prairie.
	No bearing true.
80.00	Set a post for the cor. of sec. 27, 28 33 & 34 in the prairie.
	No bearing true
East	On Random line between Dec 27. 1834 I. 7 N R 10 W
40.00	Set a temp. 1/4 sec post.
41.50	To same timber
80.34	Intersect the N 13 line 40 miles South of the post cor. of sec. 26, 27, 34 & 35.
	Land here Timber Oak, &c.
West	On the true line between Dec 27. 1834 I. 7 N R 10 W
40.17	Set the temp. 1/4 sec post at the ar ditch on the true line in a prairie No bearing
80.34	To the post cor. of sec. 27, 28, 33 & 34
North	Return Dec. 27. & 28. I. 7 N R 10 W
40.00	Set a 1/4 sec post.
73.00	To timbered land.
80.00	Set a post for the cor. of sec. 21, 22, 27 & 28 from which N Oak 15 in dist. here East 50 the ditch on Neely 3 " " " 80 N 36 " "
	Land the same
East	On a Random line between Dec. 22 & 27. I. 7 N R 10 W
40.00	Set a temp. 1/4 sec post.
79.86	Intersect the N 13 line 34 the South of the post cor. of sec. 22, 23, 26, & 27.
	Land here and also there Timber Oak,
West	On the true line between Dec. 22 & 27 I. 7 N R 10 W.
39.93	Set the temp. 1/4 sec post at the ar ditch on the true line from which Neely 12 in dist. here N 12 W 27 the ditch and a N Oak 20 " " " 14 N 35 " "

79.86	To the post cn of ew. 21. 22. 27 & 28.
North	Between Sur. 21 & 22 T. 7. N. R. 1072.
40.00	Set a 1/2 suprest from which
62.50	B. Oak. 20 in dia. trees. N 60 W. 184 lks north; 20
80.00	Top Brook. 10 lks north, corner W.
	Set a post for the cn of ew. 15. 16. 21 & 22 from which
	Beck 15 in dia. trees. N 87 W. 24 lks north; 20
	Top 15 " " " N 25 E. 39 " "
	Land the same.
East	On a Rem. am line between Sur. 15 & 22 T. 7. N. R. 1072.
40.00	Set a temp. 1/2 suprest
80.16	Intersect the N. B. line 5 miles North of the post cn of
	Sur. 14. 15. 22 & 23.
	Land the same.
West	On the type line between Sur. 15 & 22 T. 7. N. R. 1072.
40.08	Set the temp. 1/2 suprest at the cn north on the line
	from which Sur. 24 in dia. trees. N 85 E. 12 lks north;
	and as Beck. 18 " " " N 62 W. 26 " "
80.16	To the post cn of ew. 15. 16. 21 & 22
North	Between Sur. 15 & 16. T. 7. N. R. 1072.
14.00	To spring Brook. 4 lks north, corner W.
40.00	Set a 1/2 suprest from which
	Beck 18 in dia. trees. N 46 E. 10 lks north; 20
	Top 12 " " " N 37 W. 24 " "
69.50	Top B. Oak. 18 in dia. in the line.
80.00	Set a post for the cn of ew. 9. 10. 15 & 16. from which
	Beck 3 in dia. trees. N 23 W. 7 lks north; 20
	Beck 20 " " " N 60 W. 13 " "
	Land good for farming; Timber Beck, & Poplar.
East	On a Rem. am line between Sur. 10 & 15 T. 7. N. R. 1072.
40.00	Set a temp. 1/2 suprest

91

T. N. of N. R. No 1877 @ m. m. Ind:

80.17	Intro cut the NTS line 48 miles South of the first cut of ew. 10.11.14 & 15. Land to the same.
West 40.08	On the true line between Dec. 10 & 15 J. J. N. R. 1877 Set the temp. 7 in a post at the ar. arch on the true line from which, West 18 in air. term. N 1877 2 the arch; on, Beck 18 " " " 3577.24 " "
80.17	To the post cut of ew. 9.10.15 & 16.
North 32.00 40.00	Between Dec. 9 & 10 J. J. N. R. 1877. To a Poplar. 36 in dia. in the line. Set a 7 in a post from which, Beck 12 in air. term. 53 E. 34 the arch; on, Sugar. 20 " " " N 1877 9 " "
80.00	Set a post for the cut of ew. 3.4.9 & 10 from which, W. Walnut. 18 in air. term. N 73 E. 25 the arch. on Sugar. 12 " " " 1577.22 " " Secondly timber same.
East 40.00 80.40	On a Ranams line between Dec. 3 & 4 J. J. N. R. 1877. Set a temp. 7 in a post. Intro cut the NTS line 18 miles South of the first cut of ew. 2.3.10 & 11. Land to the same.
West 40.20	On the true line between Dec. 3 & 4 J. J. N. R. 1877. Set the temp. 7 in a post at the ar. arch on the true line from which, Beck 12 in air. term. 32 E. 4 the arch; on, Lo. 10 " " " 4877.22 " "
80.40	To the post cut of ew. 3.4.9 & 10
North 40.00	Between Dec. 3 & 4 J. J. N. R. 1877 Set a 7 in a post from which, Beck 20 in air. term. N 8377 25 the arch; on Lo. 20 " " " N 63 E. 31 " "



78.00	Intersect the N.B. 25th West of the post on of ew 33 & 34 J. 8 N.R. 1877 made let a post for the en of ew. 372 from which, 'Beck 20 in dir: from. S2E.19 the met; under Sugar. 10 " " " N55W23 " " Lando the same.
North	Return Dec 33 & 33 J. 7 N.R. 1877
35.00	To timbered land.
40.00	Let a 1/2 cu post from which Elm. 12 in dir: from. N67W 13 the met; on 'W Oak 12 " " " S62W 13 " "
80.00	Let a post for the en of ew 28.29.32 & 33 from which Elm. 12 in dir: from. N49W 38 the met; on Maple 18 " " " S5E.27 " " Lando mt; Timber Oak, Ash, Elm, Maple, Hickory
East	On a Random line between Dec 28 & 33 J. 7 N.R. 1877.
19.00	To a Prairie.
40.00	Let a temp. 1/2 cu post
80.00	Intersect the N.B. line 10th North of the post on of ew. 27.28.33 & 34 Lando same.
West	On the same line between Dec 28 & 33 J. 7 N.R. 1877
40.00	Let the temp. 1/2 cu post at the en with on the same line in Prairie no bearings.
80.00	To the post on of ew. 28.29.32 & 33.
North	Return Dec 28 & 29 J. 7 N.R. 1877
20.00	To a Prairie.
40.00	Let a 1/2 cu post
66.00	To timbered land.
80.00	Let a post for the en of ew. 20.21.28 & 29 from which Hickory 12 in dir: from. S5E.25 the met; on Do. 10 " " " N41E.21 " " Lando the same.

T. N. 7 N. R. No 1077 2nd Mer. Ind: 93

East On a Random line between Sec. 21 & 28 T. 7 N. R. 1077  
 40.00 Set a temp. 7th suppost.  
 54.00 To Prairie  
 79.00 " Imbued land.  
 80.30 Enter at the N 1/2 line 23th South of the post on of sec.  
 21, 22, 28 & 29.  
 Land very brushy.

West On the same line between Sec. 21 & 28 T. 7 N. R. 1077.  
 40.15 Set the temp. 7th suppost at the ar arch on the same line from  
 which, N 1/2 12 in dia. line. East 59th the arch; on  
 Do. 12 " " " S 37-28 " "  
 80.30 To the post on of sec. 20, 21, 28 & 29.

North Bottom Sec 20 & 21 T. 7 N. R. 1077.  
 40.00 Set a 7th suppost from which,  
 Say canon 24 in dia. line. N 62 77 9 the arch; on  
 N 77 about. 12 " " " S 24 77. 20 " "  
 43.00 To a Brook. 15 the width, corner S. W.  
 80.00 Set a post for the cor of sec. No. 17. 20 & 21. from which,  
 N Oak. 35 in dia. line. S 79 & 18 the arch; on  
 Do. 12 " " " S 24 & 42 " "  
 Land is some.

East On a Random line between Sec. 16 & 21 T. 7 N. R. 1077  
 40.00 Set a temp. 7th suppost  
 47.00 To a Brook, 26 the width, corner S. W.  
 80.00 Enter at the N 1/2 line 20th South of the post on of sec.  
 15, 16, 21 & 22.  
 Land is some.

West On the same line between Sec. 16 & 21 T. 7 N. R. 1077  
 40.00 Set the temp. 7th suppost at the ar arch on the same line  
 from which, Sayon. 8 in dia. line. N 56 77 9 the arch; on  
 Do. 12 " " " S 33 & 18 " "  
 80.00 To the post on of sec. 16, 17, 20 & 21.

North	Between Sec. 16 & 17 T. 7 N. R. 18 W.
24.00	Top of Spring corner N.
27.00	Top of Brook. 10 mts mid, corner E.
40.00	Set a post from which Beck. 15 in air. time. S 81 E. 10 lbs each; 20, 20. 10 " " " S 43 W. 15 " "
80.00	Set a post for the cor. of sec. 8. 9. 16 & 17 from which Sugar. 10 in air. time. South 11 lbs each; 20, Beck. 20 " " " S 62 W. 32 " "
	Same place and rock Timber Beck, Sugar &c.
East	On a Random line between Sec. 9 & 16. T. 7 N. R. 18 W.
35.00	Top of Brook. 8 mts mid, corner E.
40.00	Set a timber post in sec. post.
80.00	Set out the N 13 line 8 mts North of the post cor. of sec. 9. 10. 15 & 16. Same as the same.
West	On the town line between Sec. 16 & 19 T. 7 N. R. 18 W.
40.00	Set the timber post in sec. post at the cor. west on the town line from which on E. 12 in air. time. S 72 E. 23 lbs each; and a Willow 4 " " " N 57 W. 17 " "
80.00	Set the post cor. of sec. 8. 9. 16 & 17.
North	Between Sec. 8 & 9 T. 7 N. R. 18 W.
40.00	Set a post from which Beck. 15 in air. time. S 11 E. 30 lbs each; 20, 20. 18 " " " N 47 W. 41 " "
80.00	Set a post for the cor. of sec. 4. 5. 8 & 9 from which Beck. 15 in air. time. S 52 E. 23 lbs each; 20, W. 12 " " " S 76 W. 25 " "
	Same as the same.
East	On a Random line between Sec. 4 & 9 T. 7 N. R. 18 W.
30.00	Top of Brook. 10 mts mid, corner E.
40.00	Set a post from which



T. N. 7 N. R. No 1877 2<sup>nd</sup> Mer. Ind. 95

79.11	Entry cut the N 13 line at the post on of sec. 3, 4, 9 & 10. Said the same.
West 39.55 <sup>th</sup>	Cap the iron line between Sec 4 & 9 T. 7 N. R. 1877. Set the temporary post at the corner where the line from which Bush. 20 in dist. from S 54 E 31 the post; and also Q. 20 " " " N 8 E 39 " "
79.11	To the post on of sec. 4, 5, 8 & 9.
North 40.00	Return Sec 4 & 5 T. 7 N. R. 1877. Set a post from which N Oak 16 in dist. from S 1877-19 the post; to Bush. 15 " " " S 46 E 9 " "
46.38	Enter cut the N 13 line 150 the East of the post on of sec. 32 & 33 T. 8 N. R. 1877 and set a post on of sec. 4 & 5 from which on Oak 10 in dist. from S 977-30 the post; to N Oak 39 " " " S 88 E 18 " " Said the same.
North 4.00	Return Sec 31 & 32 T. 7 N. R. 1877. To a Prairie.
40.00	Set a few post in prairie. No bearing.
79.09	To timber land.
80.00	Set a post for the corner of sec. 29, 30, 31 & 32 from which on Oak 15 in dist. from N 38 E. 22 the post; to Q. 10 " " " N 1877 19 " " Said rich and hard.
East 16.00	Cap the iron line between Sec 29 & 32 T. 7 N. R. 1877 To a Brook. 30 the dist. corner.
40.00	Set a temporary post.
80.00	Enter cut the N 13 line 30 the South of the post on of sec. 28, 29, 32 & 33. Said hard Timber Oak & Ash, & White



West	On the river line between Dec. 29 1832 J. N. R. 9877
40.00	Set a trap for 1/4 support at the ar ditch on the river line from which, N. Oak 12 in diam. trees. 870 E. 21 lbs. meat; 0.25
	Do. 10 " " " 12077.14 " "
80.00	Set the post on of Dec. 29. 30 31 1832
West	Between Dec. 30 1831 J. N. R. 1077
5.00	To a Prairie.
40.00	Set a 1/4 support in prairie.
	Not running
45.00	Enter timbered land.
65.75	Set a post for the on of Dec. 30 1831. In the Left BK of the Watauga River. from which, N. Oak 20 in diam. trees. 11477.15 lbs. meat; 0.25
	Cherry 10 " " " 12877.4 " "
76.81	Set a post on the Right BK of the Watauga River for the on of Dec. 30 1831 from which, Maple 12 in diam. trees. 878 E. 26 lbs. meat; 0.25
	Box Elder 10 " " " 14977.11 " "
85.00	Enter cut the West B. 182 lbs. South of the post on of Dec. 30 1831 J. N. R. 1077 and set a post for the on of Dec. 30 1831 from which, Pawpaw 4 in diam. trees. 14477.2 lbs. meat; 0.25
	Hickory 10 " " " 136 E. 23 " "
North	Between Dec. 29 1830 J. N. R. 9877
14.50	To a Brook. 50 lbs. mid, corner S. E.
40.00	Set a post about 18 in diam. for the on of 1/4 way
80.00	Set a post for the on of Dec. 19. 21 29 1830 from which, Ash 6 in diam. trees. 150 E. 9 lbs. meat; 0.25
	Maple 10 " " " 12277.9 " "
	Under the same
East	On a Random line between Dec. 20 1829 J. N. R. 1077
40.00	Set a trap for 1/4 support
47.50	To a Brook. 75 lbs. mid, corner S. W.

97

T. N. of N. R. N. 1077 2<sup>nd</sup> Mer. Ind.

61.00	To a Road leading S.E.
80.00	Intersect the N. R. line at the post in of sec. 20. 21. 28 1829 Sends the same.
West	On the same line between Dec 20 1829 T. 7 N. R. 1077.
40.00	Set a 7/8 support from which Keikes 12 in dist. from N. 46 E. 44 the inch; on Dec. 20 " " " 438 N. 18 " "
80.00	To the post in of sec. 19. 20. 27 1830

West	Between Dec 19 1830 T. 7 N. R. 1077.
40.00	Set a 7/8 support from which Keikes 12 in dist. from N. 1077. 10 the inch; on Dec. 8 " " " 417 E. 9 " "
48.00	To a Keikes 18 in dist. in the line.
66.40	To a cypress 30 in dist. which stands on the left BR of the N. R. for the sec. 19 1830.
East	Between Dec 19 1830 T. 7 N. R. 90. 47
0.98	From the cor. of sec. 24 1825. T. 7 N. R. 1177 to the Right BR of the N. R. A Keikes stands in the River BR for the cor. of of sec. Dec. 19 1830

North	Between Dec 19 1820 T. 7 N. R. 1077
35.00	To a Road leading N. W.
40.00	Set a 7/8 support from which Black. 10 in dist. from N. 7577. 20 the inch; on Apr. 15 " " " 480 E. 35 " "
80.00	Set a post for the cor. of sec. 17. 18 19 1820 from which Aug. 10 in dist. from N. 84 E. 15 the inch; on Apr. 10 " " " 466 N. 10 " "
	Sends same

East	Open Run down line between Dec 17. 1820 T. 7 N. R. 1077
40.00	Set a 7/8 support
80.00	Intersect the N. R. line 12 the South of the post in of sec 16. 17. 20 1821.

N. 2 Camp.

Send the same;

West On the same line between Dec. 17. 1820 J. 7 N. R. 107  
 40.00 Set the temp. 1/4 cup post at the ar. arch on the same line from  
 which, Bush 15 in dist. from N 70 E. 26 lks dist  
 unpop. Poplar 40 " " " 9457717 " "  
 80.00 Set a post on of Dec. 17. 18. 19 1820

West Return Dec. 18 & 19 J. 7 N. R. 107  
 3.00 To spring Corns S.  
 17.00 " " " " " " " " " " " "  
 40.00 Set a 1/4 cup post from which  
 Elm. 12 in dist. from N 14 E. 6 lks dist; 77  
 10. 12 " " " " " " " " " " " "  
 85.00 Set a post at West 137 at the Dec. corner  
 Send the same;

North Return Dec. 17. & 18 J. 7 N. R. 107  
 34.50 To spring Corns N. E.  
 40.00 Set a 1/4 cup post from which  
 Oak 12 in dist. from S 27 N. 27 lks dist; 77  
 10. 12 " " " " " " " " " " " "  
 80.00 Set a post for the corner 7. 8. 17. 18 from which  
 Blue Oak. 15 in dist. from S 84 E. 15 lks dist; 77  
 Bush 12 " " " " " " " " " " " "  
 Send the same Oak, Elm, Birch, Ash, Walnut, & Sugar.

East On a Random line between Dec. 8 & 17 J. 7 N. R. 107  
 40.00 Set a temp. 1/4 cup post  
 79.60 Set a post on the N 13 line 5 miles South of the post on  
 of Dec. 8. 7. 16 17.  
 Send the same.

West On the same line between Dec. 8 & 17 J. 7 N. R. 107  
 39.80 Set the temp. 1/4 cup post at the ar. arch on the same line  
 from which, Sugar 10 in dist. from S 34 E. 10 lks dist



# T. N. of N. R. No 1077 Du. a. Mm. Ind. 99

do do 79.60	made a Do. 7 in dist. from. N48W 7 the met; To the post on of ew 7.8.17/18.
West 40.00	Return Dec 7/18 T. 7 N. R. 1077. Set a 7/4 up post from which Elev. 10 in dist. from N62E. 20 the met; on W Walnut 18 " " " S37E. 38. "
48.00	To a trace
71.50	Set a post on the Left BK of the Natash River for the co. offroad. Dec 7/18 from which Elev. 15 in dist. from. N47W 12 the met; on Coffee nut 6 " " " S9W. 19. "
80.61	Set a post on the Right BK of the Natash. River for the co. offroad. Dec 7/18 from which W Walnut 20 in dist. from S25W 29 the met; on Maple. 6 " " " N21E. 36. "
84.50	Intersect the West B. 36 the South of the post on of ew 12/18 N. T. 7 N. R. 1777 and set a post for the co of ew 7.8.18 from which on Ash 3 in dist. from. N17E. 4 the met; on B Oak 4 " " " S44W 3. ;
North 40.00	Return Dec 7/18 T. 7 N. R. 1077 Set a 7/4 up post from which Elev. 10 in dist. from S4E. 38 the met; on W Oak 15 " " " N32W 30. "
70.00	To a Spring Corner S.E.
80.00	Set a post for the co of ew 5, 6, 7, 18 from which Elev. 12 in dist. from. S34E. 18 the met; on B Oak 18 " " " N47E. 17. "
	End of Run.
East 39.50	On a Run down line between Dec 5/18 T. 7 N. R. 1077 To a Spring Corner S.W.
40.00	Set a 7/4 up post
79.00	Intersect the N 15 line 8 the South of the post on of ew 4.5.8 & 9. End of Run.



T. N. 7. N. R. N. 1077 2<sup>nd</sup> M. Ind.

West	Opth, from line between Sep 548 T. 7. N. R. 1077
39.50	Set the trap. 1/2 m. east at the end of the line from which Book 18 in dist. line. N 287.21 the end, under Sugar 9, 4, 4, 488 E. 22, 7
79.00	To the post on of ew 5. 6. 7. 88.
West	Return Sep 607 T. 7. N. R. 1077
40.00	Set a new post from which N Walnut. 8 in dist. line. N 307.15 the end, on Book 18, 4, 4, 4, N 447.25, 4, 4
46.00	To a Book 18 in dist. in the line.
58.00	To a Road N.B.
84.03	Enter out the West B. 7 55 the South of the post on of Sep 1412 T. 7. N. R. 1077 and set a post for the 4, 4, 4, 607 from which Maple 10 in dist. line. N 83 E. 39 the end, on Book 18, 4, 4, 4, 813 E. 13, 7
	Land note on last 1/2 mile.
North	Return Sep 546 T. 7. N. R. 1077
30.50	To a spring corner E.
40.00	Set a new post from which Poplar. 30 in dist. line. N 10 E. 21 the end, on Book 15, 4, 4, 4, N 177.15, 4, 4
74.30	Enter out the N. B. 7 190 the East of the post on of Sep 31 B. 7 T. 8 N. R. 1077 and set a post for the 4, 4, 4, 546 from which N Oak. 10 in dist. line. N 247.21 the end, on Book 20, 4, 4, 4, N 227.32, 4, 4
	Land note
116 E.	Meander of the Matash River on the Right Bk. Commencing in the West B. 7 of the line down the line between Sep 7. 818.
South	22.00

101

T. N<sup>o</sup> 7 N R. N<sup>o</sup> 10 W 2<sup>nd</sup> (Mm. Ind.)

§24 W.	10.80	To the West B <sup>y</sup> of sec. 18 on Range line.	
Commenced on the Range line West B <sup>y</sup> of sec. 19 thence down Stream in Sec. 19. The intersection of the Meanders with the Range line in passing from T. N. R. 11 W into T. N. R. 10 W is not given. The corner immediately preceding the meanders in Sec. 30 is N. R. 10 W is			
§2 E.	7.90	To the cor of sec 19 & 30 T. N. R. 10 W thence	
§2 E.	7.00	In Sec. 30	
§15 E.	29.50		
§3 E.	29.50		
§5 W.	15.00	To the post in line between Sec. 30 & 31.	
§5 W.	8.70	In Sec. 31.	
§33 W.	14.00		To the post on the Range line West B <sup>y</sup> of sec. 31.
Meanders of the Natash River Commencing on the West B <sup>y</sup> of <del>Range</del> Sec. 7. T. N. R. 10 W thence down Stream in Sec. 7. Left B <sup>y</sup> .			
§30 E.	21.50	To the post cor of sec. 7 & 18.	
Smith	12.50		
§5 E.	24.00	In Sec. 18.	
§25 W.	8.50		
§15 W.	7.00		
§45 W.	1.50		
§27 W.	13.50		
§30 W.	5.88		To the post on Range line. W B <sup>y</sup> of sec. 18.
Commenced in the West B <sup>y</sup> of Sec. 19. thence down Stream on the Left B <sup>y</sup> . in Sec. 19.			
§26 E.	7.00		
§13 E.	2.00		
§20 E.	7.00		

S24 E. 10.00 To my Island  
 S28 E. 17.50 To the cn of Dec. 19 1830

S15 E. 3.11  
 S19 E. 8.00  
 S22 E. 7.00 Lower end of Island.  
 S22 E. 7.50  
 S5 E. 19.00 In Lu. 30  
 S16 W. 30.00  
 S11 W. 9.00 To the port cn of Dec. 30 1831

S11 W. 14.00  
 S24 W. 9.50  
 S32 W. 22.50 To the port cn of Dec. 31. In Range line.

Surveyed by  
 Arthur Henric, D.S.

I certify that the foregoing Transcript of the  
 Field notes of Township N. 7 North of Range N. 10 W  
 of the 2<sup>nd</sup> Principal Meridian has been compared  
 with the Original notes in this Office, and found  
 to be correct.  
 Surveyor General's Office  
 Cincinnati, Sept. 13<sup>th</sup> 1841

E. S. D. Ains  
 Sur. Genl.